

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT IDENTIFICATION AND USE

Page 1 of 3

PRODUCT Vital Max IDENTIFIER:							
PRODUCT USE: Foliar fertilizer							
MANUFACTURER'S Greentek Fertilizer Inc. NAME:			SUPPLIER'S NAME:	SUPPLIER'S NAME: Same as manufacturer			
ADDRESS: 202-27090,Gloucester Way			ADDRESS:	Same as manufacturer			
Adergrove,BC V4W 3Y5, Canada							
IN CASE OF EMERGENO	CY: 1 (60	4) 857 0300					
SECTION 2 – HAZARDOUS INGREDIENTS							
HAZARDOUS INGREDIENTS		CAS #	LD50 OF INGREDIENT (SPECIFY SPECIES & ROUTE)				
Zinc (Zn) EDTA	Zn) EDTA 14025-21-1 LD ₅₀ (rat, oral) 1750 mg/kg (Lit)		.it)				
Copper (Cu) EDTA	Copper (Cu) EDTA 14025-15-1		LD ₅₀ (rat, oral) 350 mg/kg LC ₅₀ (rat, Inhalation) 2000 ppm (4hr)				
SECTION 3 – PHYSICAL DATA							
PHYSICAL STATE:	Liqui	1	ODOUR & APPEARANCE	Dark brown odorless liquid			
ODOUR THRESHOLD (ppm):	D NAV		VAPOUR PRESSURE (mmHg):	NAV			
VAPOUR DENSITY (air=1):	NAP		SPECIFIC GRAVITY:	1.21 g/ml			
рН:	6.0 -	6.5	MELTING POINT RANGE (°C)	NAP			
FREEZING POINT (°C)	NAV		EVAPORATION RATE:	NAP			
COEFF. WATER/OIL DIST	VATER/OIL NAV		SOLUBILITY (in water):	Soluble			
SECTION 4 – FIRE AND EXPLOSION DATA							
FLAMMABLE: Not flammable or combustible.							
IF YES, UNDER WHAT CONDITIONS? Product is stable at room temperature & atmospheric pressure.							
MEANS OF EXTINCTION: Use water spray, dry chemicals and CO ₂ .							
FIRE FIGHTING Use water to cool containers exposed to fire. Fire fighters should use appropriate protective equipment and evacuate non-essential personnel from fire area.							
DECOMPOSITION TEMPERATURE (°C) :	NAP		AUTOIGNITION TEMPERATURE (°C)	NAV			

MATERIAL SAFETY DATA SHEET Page2of3						f3					
LOWER FLAMMABLE LIMIT (% by volume):	NAP		UPPER FLAMMABLE LIMIT (% by volume):				NAP				
SENSITIVITY TO IMPACT:	No e	No evidence		SENSITIVITY TO STATIC DISCHARGE:				No evidence			
HAZARDOUS COMBUSTIO				HAZARDOUS N POLYMERIZATION			Nor	lone known			
PRODUCTS:	PRODUCTS: None Known										
SECTION 5 – REACTIVITY DATA											
CHEMICAL STABILITY:Stable under normal conditions. Not self reacting and is not sensitive to physical impact.											
INCOMPATIBILITY: NAV CORROSIVE BEHAVIOUR: NA					NAV						
REACTIVITY AND UNDER CONDITIONS:	REACTIVITY AND UNDER WHAT This product is stable at ambient temperatures and atmospheric pressures. CONDITIONS:						ures.				
HAZARDOUS DECOMPOSITION PRODUCTS: None known											
SECTION 6 – TOXICOLOGICAL PROPERTIES											
ROUTES OF ENTRY:											
	SKIN ABSO	RPTION:	Not knowr	EYE CONTAC	Yes		HAL ION:	Yes	INGES	FION:	Yes
EFFECTS OF ACUTE EXPO	SURI	E TO PROD	OUCT:								
INGESTION: Slightly hazardous in case of ingestion. May cause low order of acute toxicity.											
INHALATION: Avoid inhalation of vapors. Excessive exposure may cause respiratory track irritation.											
EYE CONTACT: May cause eye irritation. Flush eyes with plenty of running water. Seek medical attention if irritation persists.											
SKIN Avoid prolonged or repeated skin contact. May cause skin irritation and possible skin sensitization. CONTACT: Avoid prolonged or repeated skin contact. May cause skin irritation and possible skin sensitization.											
EFFECTS OF CHRONIC EXPOSURE: NAV											
CARCINOGENICITY:	Not	determined.	•	Μ	UTAGEN CITY	:					
								letermined.			
REPRODUCTIVE HAZARD:	Not	determined.	•		ERATOGENICITY	110	Not determined.				
IRRITANCY:	Yes	5		SI	ENSITIZATION	· Ye	Yes				
SYNERGISTIC PRODUCTS:	NA	NAV									
SECTION 7 – PREVENTIVE MEASURES											
PERSONAL PROTECTIVE	PERSONAL PROTECTIVE Hands: Wear PVC or chemical resistant impervious gloves to avoid skin contact.										
EQUIPMENT: Eyes: Wear safety eyewear with approved standard when a risk of splash is possible.					ible.						
Do not wear contact lenses.											
Foot Wear : Impervious safety boots.											
	Clothing's : Wear coveralls with an impervious apron to protect street clothing.					ion					
Respirator : Required when aerosol are generated. Wear a mask to avoid inhalation.											

MATERIAL SAFETY DATA SHEET

Page3of3

ENGINEERING CONTROLS:	Ventilate to control fumes. Keep good housekeeping.		
HANDLING PROCEDURES:	Use personal protective equipment where splashing or potential for contact exists. Workers should wash hand and face before eating, drinking or smoking.		
STORAGE REQUIREMENTS:	Keep containers close and store in cool, dry place away from heat sources. Avoid direct and prolonged contact with skin. Keep separate from incompatible materials.		
LEAK AND SPILL PROCEDURE:	Sweep or vacuum into sealable waste containers. Flush area with plenty of water. Prevent contamination of sewers, streams, lakes, ponds and domestic waterways. Ventilate area of spill or leak.		
WASTE DISPOSAL:	Dispose in compliance with government requirements and local disposal regulation Avoid entry into water sources.		
	SECTION 8 – FIRST AID MEASURES		
INHALATION:	Move victim to fresh air. If other conditions or symptoms develop contact a physician.		
SKIN CONTACT:	Remove contaminated clothing. Wash affected area with water for fifteen (15) minutes. Obtain medical attention if irritation or redness persists.		
EYE CONTACT:	Flush eyes thoroughly while holding upper and lower eye lids for a minimum of 15 minutes. Obtain medical attention if symptoms or condition persists.		
INGESTION:	Call physician immediately. If victim is conscious, rinse mouth and give water to drink. Never give anything by mouth to an unconscious person. Only induce vomiting on the instructions of doctor.		
SEC	CTION 9 - DEPARTMENT OF TRANSPORTATION		
SHIPPING INFORMATION			
US and Canada: Not regulated			
International Shipping: Not regular	ted		
TDG: Not regulated.			
IATA: Not regulated			
SE	ECTION 10 – PREPARATION DATE OF MSDS		
PREPARED BY: Greentek Fertilize	er Inc. ADDITIONAL INFORMATION:		

PREPARED BY: Greentek Fertilizer Inc.	ADDITIONAL INFORMATION:				
2202-27090,Gloucester Way	At the time of preparation, the information and data contained in				
Adergrove,BC V4W 3Y5, Canada	this MSDS are believed to be accurate and have been compiled from sources that are believed to be reliable.				
BUSINESS NUMBER: 1 (604) 857 0300					

DATE: November, 2015